

MINISTRY OF DEFENCE
{Office of JS (T) & CAO}

PANEL FOR PROMOTION TO THE GRADE OF EXAMINER – I
IN GS / MI DTE, ARMY HQ, MINISTRY OF DEFENCE

The approved panel for **promotion to the grade of Examiner-I** in GS / MI Dte, Army HQ for the DPC year 2011-12 is as under:-

S.No.	Name (S/Shri/Smt)	DOB	Designation
1.	K Sailendra Babu (SC)	31.05.64	Examiner-II

2. The promotion order will be issued separately.

-sd-
(Rajesh Tiwari)
SAO, CAO/P-2
05 Oct, 2011

GS/MI-12

GS/SD-1

Copy to:-

CAO / A-6(B)

CAO / APAR (P-2) Cell

Notice Board

CAO Website (<http://caomod.gov.in>)

MINISTRY OF DEFENCE
{Office of JS (Trg) & CAO}

PROMOTION TO THE GRADE OF EXAMINER – I IN GS / MI DTE,
ARMY HQ, MINISTRY OF DEFENCE

Consequent to inclusion in the panel issued vide note of even number dated 05 Oct, 2011 for promotion to the grade of Examiner - I, **Shri K Sailendra Babu (DOB : 31.05.1964)**, Examiner – II, Group – B (Non-Gazetted) in the pre-revised pay-scale of ` 5,500 -9,000 [revised scale of ` 9,300-34,800 in PB-2 with GP- ` 4,200] of GS / MI Dte is appointed as Examiner - I, Group 'B' (Gazetted) in the pre-revised pay-scale of ` 6,500–10,500 further upgraded to ` 7,450-11,500, now revised to ` 9,300-34,800 with GP of ` 4,600 in PB-2 on promotion in GS / MI Dte, Army HQ, Ministry of Defence. Shri K Sailendra Babu is retained in BCS, Delhi.

2. The promotion of the officer will take effect from the date of issue of this order or from the date he assumes the charge of the higher post, whichever is later.
3. The officer concerned is also advised to exercise his option to fix his pay under FR 22 within the prescribed period provided he had not exercised his option in this scale earlier under the ACP/MACP Scheme.
4. Charge assumption report may please be sent to all concerned under intimation to this office.

-sd-
(Rajesh Tiwari)
SAO, CAO/P-2
05 Oct, 2011

GS / MI-12

GS / SD-1

BCS, Delhi

Copy to:

CAO/ A-6(B)

CAO/APAR (P-2) Cell

Notice Board

CAO Website (<http://caomod.gov.in>)

Shri K Sailendra Babu

: For compliance.